Applicant(s): James et al. Application No. 09/291,426 Page 2

The Listing of Claims will replace all prior versions, and listings, of claims in the application.

LISTING OF CLAIMS

Claim 1. (Previously Presented) A copolymer library comprising a number of homologously bivariant copolymers sufficient to incrementally establish meaningful, library-wide quantitative structure-property correlations, said copolymer library consisting of different strictly alternating A-B type copolymers each separately polymerized in parallel under essentially the same polymerization conditions from monomers consisting essentially of:

- (1) a first monomer selected from the group consisting of a first homologously varying series of monomers with the same polymerizable functionable carboxylic acid groups and a single homologous variation within said-series; and
- (2) a second monomer selected from the group consisting of a homologously varying series of second monomers having the same with polymerizable functionable -OH groups and a single homologous variation within said series that are reactive with the polymerizable functional groups of said first series of monomers to form strictly alternating A-B type copolymers;

wherein (A) said homologous variations of said first and second monomer series are selected to be complimentary to one another so that the homologous variations of said first monomer series have a different influence on polymer properties than the homologous variations of said second monomer series; and

Applicant(s): James et al. Application No. 09/291,426

Page

(B) the monomers within each monomer series are selected to have comparable reactivities at said polymerizable functional groups to permit the same polymerization conditions to be employed for each parallel synthesis reaction in a way that results in all polymers being of sufficiently high similar molecular weight weights and similar polydispersities to establish said meaningful library-wide structure property correlations.

Claims 2 - 4. (Canceled)

The copolymer library of Claim 1, wherein said (Previously Presented) Claim 5. copolymers are separately polymerized in solution.

Claim 6. (Withdrawn) The copolymer array of claim 1, wherein said separate reactions are performed in bulk.

Claim 7. (Withdrawn) The copolymer array of claim 1, wherein said separate reactions are performed in the presence of a catalyst.

Claim 8. (Withdrawn) The copolymer array of claim 1, wherein said separate reactions are performed in the absence of a catalyst.

The copolymer library of Claim 1, wherein said (Previously Presented) Claim 9. copolymers are further modified by chemical reactions or cross-linking.

Applicant(s): James et al. Application No. 09/291,426

Page 4

Claim 10. (Currently Amended) A condensation polymer library comprising a number of homologously bivariant copolymers sufficient to incrementally establish meaning-ful library-wide quantitative structure-property correlations, said copolymer library consisting of strictly alternating A- B type copolymers each separately polymerized in parallel under

- essentially the same polymerization conditions from monomers consisting essentially of:

 (1) a first monomer selected from the group consisting of a first series of monomers homologously varying having a single homologous variation along the monomer backbone and having the same polymerizable functional carboxylic acid groups; and
 - (2) a second monomer selected from the group consisting of a second series of monomers with one homologously varying substituent group and having the same polymerizable <u>-OH</u> functional groups that are reactive with the polymerizable functional groups of said first series of monomers to condense to form said strictly alternating A-B type copolymers;

wherein the monomers within each monomer series are selected to have comparable reactivities at said polymerizable functional groups to permit the same polymerization conditions to be employed for each parallel synthesis reaction in a way that results in all polymers being of sufficiently high similar molecular weight weights and similar polydispersity polydispersities to establish said meaningful library-wide structure property correlations.

Claim 11. (Withdrawn) The copolymer array of claim 10, wherein said condensation-type reaction is an interfacial process.

Applicant(s): James et al. Application No. 09/291,426

Page

Claim 12. (Withdrawn) The copolymer array of claim 10, wherein said condensation-type reaction is a suspension process.

> (Canceled) Claim 13.

The polymer library of Claim 10, wherein said (Previously Presented) Claim 14. copolymers are separately polymerized in solution.

Claim 15. (Withdrawn) The copolymer array of claim 10, wherein said separate reactions are performed in bulk.

Claim 16. (Withdrawn) The copolymer array of claim 10, wherein said separate reactions are performed in the presence of a catalyst.

The polymer library of Claim 10, wherein said (Previously Presented) Claim 17. copolymers are separately polymerized in the absence of a catalyst.

(Canceled) Claims 18 - 20

Claim 21. (Currently Amended) The polymer library of Claim 20 1 or 10, wherein said first second monomer series comprises a plurality of different diphenol compounds, each having the general structure:

Applicant(s): James et al. Application No. 09/291,426

Page 6

HO
$$+R_1-C-NH-CH+CH_2$$
 $+CH_2$ $+CH_2$

wherein R_1 is selected from the group consisting of -CH=CH-, (CH₂)_a, and -CHN(L₁L₂), in which a has a value from zero to eight, inclusive, and L₁ and L₂ are independently selected from the group consisting of hydrogen and straight and branched alkyl and alkylaryl groups containing up to 18 carbon atoms, provided that L₁ and L₂ are not both hydrogen; b independently has a value between 0 and 8, inclusive; and R_2 is selected from the group consisting of straight and branched alkyl and alkylaryl groups containing up to 18 carbon atoms.

Claim 22. (Withdrawn) The copolymer array of claim 20, wherein said first monomer series comprises a plurality of different aromatic-aliphatic dihydroxy compounds, each having the general structure:

wherein R_3 is selected from the group consisting of -CH=CH-, (-CH₂-)_a, and -CHN(L₁L₂), in which a has a value from zero to eight, inclusive, and L₁ and L₂ are independently selected from the group consisting of hydrogen and straight and branched alkyl and alkylaryl groups containing up to 18 carbon atoms, provided that L₁ and L₂ are not both hydrogen; R_5 and R_6 are each independently selected from the group consisting of hydrogen and straight or branched alkyl groups having up to 18 carbon atoms, R_4 is (-CH₂-)_b, wherein b independently

Applicant(s): James et al. Application No. 09/291,426

Page 7 has a value between zero and eight, inclusive; and R_2 is selected from the group consisting of straight and branched alkyl and alkylaryl groups containing up to 18 carbon atoms.

Claim 23. (Currently Amended) The polymer library of Claim 20 1 or 10, wherein said second first monomer series comprises a plurality of different dicarboxylic acid compounds, each having the general structure:

wherein R is selected from the group consisting of saturated and unsaturated, substituted and unsubstituted alkyl, aryl and alkylaryl groups containing up to 18 carbon atoms.

Claim 24. (Previously Presented) The polymer library of Claim 21, wherein for one or more of said monomers of said first monomer series, at least one of R_2 , L_1 or L_2 contain at least one ether linkage.

Claim 25. (Withdrawn) The copolymer array of claim 22, wherein for one or more of said monomers of said first monomer series, at least one of R_2 , R_5 , R_6 , L_1 or L_2 contain at least one ether linkage.

Claim 26. (Previously Presented) The polymer library of Claim 23, wherein for one or more of said monomers of said dicarboxylic acid monomer series, R contains at least one ether linkage.

Applicant(s): James et al. Application No. 09/291,426

Page

The polymer library of Claim 10, wherein said (Previously Presented) Claim 27. copolymers are further modified by chemical reactions or cross-linking.

(Withdrawn) A method for determining the effect of independently Claim 28. varying at least two different structural features of a copolymer on at least one end-use property of said copolymer, comprising:

- (a) measuring at least one end-use property of each copolymer of said copolymer array of claim 1; and
- (b) comparing the variations in each end-use property measured for each of said copolymers as a function of the homologous variation within said monomer series from which said copolymers were polymerized to determine any relationship between said homologous variations and said end-use property variations among-said copolymers;

thereby identifying specific members of said plurality of copolymers having useful properties for specific end-uses.